



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/728,930	12/04/2000	Yoshiro Yamazaki	Q61627	2826

7590 12/01/2005

SUGHRUE, MION, ZINN,  
MACPEAK & SEAS, PLLC  
Suite 800  
2100 Pennsylvania Avenue, N.W.  
WASHINGTON, DC 20037-3213

EXAMINER
----------

GIBBS, HEATHER D

ART UNIT	PAPER NUMBER
----------	--------------

2627

DATE MAILED: 12/01/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

**Office Action Summary**

Application No.

09/728,930

Applicant(s)

YAMAZAKI, YOSHIRO

Examiner

Heather D. Gibbs

Art Unit

2627

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☒ Responsive to communication(s) filed on 27 May 2005.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☒ Claim(s) 1-30 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-7, 9-19 and 21-30 is/are rejected.
- 7) ☒ Claim(s) 8, 20 is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

**Priority under 35 U.S.C. § 119**

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

**Attachment(s)**

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)  
Paper No(s)/Mail Date \_\_\_\_\_
- 4) ☐ Interview Summary (PTO-413)  
Paper No(s)/Mail Date. \_\_\_\_\_
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: \_\_\_\_\_

## **DETAILED ACTION**

### ***Response to Amendment***

1. The amendment filed on May 27, 2005 has been entered and made of record.  
Claims 1-30 are pending.

### ***Response to Arguments***

2. Applicant's arguments with respect to claims 1-24 have been considered but are moot in view of the new ground(s) of rejection.

### ***Claim Rejections - 35 USC § 103***

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

4. Claims 1-4, 11-16, 23-26, 28-29 are rejected under 35 U.S.C. 103(a) as being unpatentable over Deschuytere (US 6,160,643) in view of Katayama et al (YS 5,982,951).

For claims 1, which is representative of claim 13, Deschuytere discloses an apparatus for reading a device having a plurality of photoelectric conversion cells, which receive light transmitted through or reflected from an original, and produce electronic information representing the image as a plurality of pixels (Ref 42; Fig 1; Col 8 Lines 41-44; Col 9 Lines 5-22).

Deschuytere does not disclose expressly a data processing system electronically connected to the reading device and receiving the electronic information therefrom, the data processing system including a memory and logic, the logic defining the electronic information as being divided into a plurality of areas, with each area comprising a plurality of pixels, and corrects for reading discrepancies in the reading device by applying data correction values to the electronic information corresponding to each area, with the data correction values stored in the memory, and previously obtained by reading a predetermined image of at least one type corresponding or similar to the original.

Katayama discloses a data processing system electronically connected to the reading device and receiving the electronic information therefrom, the data processing system including a memory and logic, the logic defining the electronic information as being divided into a plurality of areas, with each area comprising a plurality of pixels, and corrects for reading discrepancies in the reading device by applying data correction values to the electronic information corresponding to each area, with the data correction values stored in the memory, and previously obtained by reading a predetermined image of at least one type corresponding or similar to the original (4:19-22;6:19-21;11:64-67 and 12:1-4;18:33:33-45).

Deschuytere & Katayama are combinable because they are from the same field of endeavor.

At the time of the invention, it would have been obvious to a person of ordinary skill in the art to combine Deschuytere with Katayama.

The suggestion/motivation for doing so would have been to provide a system for reading an image with discrepancy corrections utilized.

Therefore, it would have been obvious to combine Katayama with Deschuytere to obtain the invention as specified in claims above.

For claims 2 and 14, Deschuytere discloses an apparatus and method wherein the type corresponding or similar to the original has the predetermined image of spectral absorption characteristic approximate to that of the original (col. 20, lines 20-28).

For claims 3 and 15, Deschuytere discloses an apparatus and method wherein the reading device includes at least one type of color filter for producing electronic image information corresponding to a plurality of color separated components (col. 20, Lines 20-28), wherein there are data correction values stored in the memory for each of the color components, and the logic applies data correction values in accordance with each of the color components to the electronic information representing the original (col. 8, Lines 43-47).

For claims 4 and 16, Deschuytere discloses an apparatus and method wherein the reading device is configured to read the original by separating the original into a plurality of color components using a color separation filter (col. 8, Lines 43-47), and dispersion of the spectral absorption characteristic in a reading area of the reading device is caused at least by dispersion of a characteristic of the color separation filter in the reading area of the reading device (col. 8, Lines 50-59).

For claims 11 and 23, Deschuytere discloses an apparatus and method wherein the data correction values corresponding to the areas, correspond to a plurality of

Art Unit: 2627

regions forming each area, with the quantity of regions forming each area being less than the quantity of pixels forming that area, and the logic determines a correction for each pixel on that area by interpolation (col. 13, Lines 14-21).

For claims 12 and 24, Deschuytere discloses an apparatus and method wherein the predetermined original includes areas of different image densities, and the logic applies the data correction values to the electronic information received for the original based on the density of data (01. 10, Lines 37-65).

For claims 25 and 26, Deschuytere discloses wherein the light source is only located on a side of the original opposite to the other side of the original facing the reading device (36, Fig. 1., col. 8, Lines 26-46).

For claim 28, Deschuytere discloses wherein the data processing system is correcting reading discrepancies based on characteristic of hardware in the apparatus (col. 9, Lines 3-38).

For claim 29, Deschuytere discloses the discrepancies comprise spectral shift caused by the hardware (col. 5, Lines 7-10).

5. Claims 5 and 17 are rejected under 35 U. S. C. 103 (a) as being unpatentable over Deschuytere et al. (U. S. Patent No. 6,160,643) in view of Katayama et al (US 5,982,951), and further in view of Shimizu et al. (U.S. Patent No. 5,489,989).

Deschuytere and Katayama fail to teach that the reading device is a line Sensor.

Shimizu discloses an image processing apparatus and method wherein the reading device is a line sensor (20c, Fig. 1., col. 3, lines 5-15).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the line sensor of Shimizu and the color negative scanner of Deschuytere and Katayama because both teach image processing apparatuses which store image correction data before scanning the original image. The improvement on Deschuytere and Katayama by Shimizu would allow for a more versatile image reading device.

6. Claims 6 and 18 are rejected under 35 U.S.C. 103(a) as being unpatentable over Deschuytere et al. (U.S. Patent No. 6, 160,643) in view of Katayama et al (US 5,982,951), and further in view of Suhr et al. (U.S. Patent No. 6,466,337).

Deschuytere and Katayama fail to disclose that the reader comprises a light source section comprising a plurality of point light sources or line light sources, wherein the reading device reads the original by using light emitted from the light source section and transmitted through or reflected from the original.

Suhr discloses a reader which comprises a light source section comprising a plurality of point light sources or line light sources, wherein the reading device reads the original by using light emitted from the Light source section and transmitted through or reflected from the original (8, Fig. 1., col. 3, Lines 33-44).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the plural Light sources of Shimizu and the color negative scanner of Deschuytere and Katayama because both disclose a process for calibrating a scanner prior to scanning an original. The improvement on Deschuytere

and Katayama would allow for better illumination of documents to be scanned therefore better scan quality.

7. Claims 7 and 19 are rejected under 35 U.S.C. 103(a) as being unpatentable over Deschuytere et al (U. S. Patent No. 6,160,643) in view of Katayama et al (US 5,982,951), and further in view of Koretsune et al. (U.S. Patent No. 6,501,087).

Deschuytere and Katayama fail to disclose that the Light source section comprises of LEDS as Light emitting sources, wherein the reading device reads the original by using Light emitted from the Light source section and transmitted through or reflected from the original.

Koretsune discloses Light source section comprising of LEDS as light emitting sources, wherein the reading device reads the original by using Light' emitted from the light source section and transmitted through or reflected from the original (col. 4, Lines 13-21).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the LED Light sources of Koretsune and the scanner of Deschuytere and Katayama because both teach image reading apparatuses which use light sources to illuminates originals to be scanned. The improvement on Deschuytere and Katayama by Koretsune would allow for an efficient and cost effective Light source.

8. Claims 9 and 21 are rejected under 35 U. S. C. 103 (a) as being unpatentable over Deschuytere et al. (U.S. Patent No. 6,160,643) and Katayama (US 5,982,951), and further in view of Loushin et al. (U. S. Patent No. 6,462,835).



Deschuytere and Katayama fail to disclose an original being a photographic film including a code recorded on the film, or the original is a photographic film accommodated in a cartridge with the code recorded on the cartridge, and the reading device reads the code and produces electronic information corresponding to the code, and the information processing system receives the electronic information corresponding to the code and retrieves from the memory, data correction values for a photographic film corresponding to that code.

Loushin discloses an original being a photographic film including a code recorded on the film, and the reading device reads the code and produces electronic information corresponding to the code, and the information processing system receives the electronic information corresponding to the code and retrieves from the memory, data correction values for a photographic film corresponding to that code (col. 7, Lines 37-59).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the scanner of Loushin and the scanner of Deschuytere and Katayama because both disclose film scanners capable of using image processing generate correction values for the film being scanned. The improvement on Deschuytere and Katayama by Loushin would allow for an efficient way to identify film characteristics.

9. Claims 10 and 22 are rejected under 35 U.S.C. 103(a) as being unpatentable over Deschuytere et al. (U. S. Patent No. 6, 160,643) and Katayama (US 5,982,951), and further in view of Brandestini et al. (U. S. Patent No. 6,044,180).

Deschuytere and Katayama fail to disclose a user input device electronically connected to the information processing system, for entering information identifying the original type, which is received by the information processing system, and the Logic retrieves from the memory data correction values corresponding or similar to that type.

Brandestini discloses a user input device electronically connected to the information processing system, for entering information identifying the original type, which is received by the information processing system, and the Logic retrieves from the memory data correction values corresponding or similar to that type (Col. 10, Lines 48-61).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the user input of Brandestini and the scanner of Deschuytere because both disclose scanners capable of reading transparent documents. The improvement on Deschuytere and Katayama by Brandestini would allow for a user to specify the type of film being used and therefore the proper correction data can be used.

10. Claim 27 is rejected under 35 U.S.C. 103(a) as being unpatentable over Deschuytere et al. (U. S. Patent No. 6, 160,643) and Katayama (US 5,982,951), and further in view of Edgar (U. S. Patent No. 5,266,805).

Deschuytere and Katayama fail to disclose a turret for rotating so that color separation filters are positioned on an optical axis.

Edgar discloses a turret for rotating so that color separation filters are positioned on an optical axis (38, Fig. 2., col. 7, Lines 16-19).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the scanners of Deschuytere and Katayama and Edgar because both disclose systems for scanning negative film. The improvement on Deschuytere by Edgar would allow for a more efficient way to implement color separation filters.

11. Claim 30 is rejected under 35 U.S.C. 103(a) as being unpatentable over Deschuytere et al. (U. S. Patent No. 6,160,643) and Katayama, and further in view of Yamakawa (U. S. Patent No. 5,892,595).

For claim 30, Deschuytere and Katayama fail to disclose the plurality of areas comprising spatial adjacent areas and are corrected by interpolation from adjacent areas.

Yamakawa discloses plurality of areas comprising spatial adjacent areas and are corrected by interpolation from adjacent areas (col. 9, Lines 5-21; col. 10, Line 39 - col. 11, Line 3).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the scanning system of Deschuytere with the image processing apparatus of Yamakawa because both disclose image reading apparatuses capable of scanning and processing original documents. The improvement on Deschuytere and Katayama by Yamakawa would allow for better image quality through the use of interpolation.

Art Unit: 2627

***Allowable Subject Matter***


12. Claims 8-20 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

***Conclusion***

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Heather D. Gibbs whose telephone number is 571-272-7404. The examiner can normally be reached on M-Thu 8AM-7PM.


If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Edward L. Coles can be reached on 571-272-7402. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



Heather D Gibbs  
Examiner  
Art Unit 2627

hdg



EDWARD COLES  
SUPERVISOR, ART UNIT 2627  
TECHNICAL STAFF